

# WEAVING LIGHTS

# Series

WEAVING LIGHTS series, It allows for the free placement of lighting fixtures and the creation of unique lighting solutions. Simple and progressive, elevating the concept of light rail to a new level.

Braided tape with innovative lighting concepts, using textured fabric tape for effective conduction Electricity, it enables light to flow in space.






# Lucretia

**Diverse Shapes** 

lighting scenes.

Different products are paired with woven straps of various shapes to create a different atmosphere, suitable for various high-end

#### Semi-circular Flood Light-PXX0893 + Conical Light-PXX0895











Spotlight Module-PXX0890 + Semi-circular Spotlight-PXX0891




Louver Module-PXX0896 + Flood Light Module-PXX0897






Semi-circular Flood Light-PXX0892 +Flood Light Module -PXX0897




#### 05















#### **Display Of Accessory Details**

Each belt can be cut as needed to accommodate multiple lighting fixtures, and can be operated with simple accessories. The belt provides tension adjustment from tension to relaxation, as well as click and connect functions, and is attached to each lighting fixture with snap ins.





#### Display Of Installation Of Exposed/ Embedded Electrical Boxes

Built in power supply, single output. It can be installed on the ceiling or embedded in the ceiling, and can be freely installed according to personal needs.





Display Of Installation Of Exposed

#### Embedded Electrical Boxes

#### Display Of Installation Of Exposed Large Base

Built in power supply, providing conductivity, it can export two braided straps in the middle, which can be used to connect products or fix braided straps.



Installation Of Exposed Large Base







#### **Multiple Colors**

The weaving comes in five colors to choose from: **brick red, light blue, black, beige, and light green.** You can create your own style according to your needs and ideas.






#### Home decoration scene

Suitable for home decoration scenarios such as living rooms, dining tables, and bedrooms.









Workwear scenario

Suitable for workwear scenarios such as office areas, office spaces, exhibition spaces, etc.









## **Conductive Module**

#### Two-wire Conductive Cloth Tape-PXX0880 Size Color Black/Brick Red /Pale L10000xW28xH2.8mm IT 28 L20000xW28xH2.8mm Green/Sky Blue / -28 L30000xW28xH2.8mm Ecru

#### Four-wire Conductive Cloth Tape-PXX0881







#### Wire Locking Clip-PXX0886



#### Suspension Clip-PXX0887



#### Cable Clamp-PXX0888



### Terminal Clamp-PXX0889



# 50W Surface-Mounted / Portable Power Supply-PDR00





## 100W Surface-Mounted / Portable Power Supply-PDR0100-48



# Embedded Electrical Boxes-PXX0882





Color
Black

#### Surface Mount Electrical Box-PXX0883





 $\bigcirc$ Φ48

Size	Color
Ф80xH55mm	Black

### Wire Locking Socket-PXX0884



Size	Color
Ф48xH45mm	Black

#### Suspension Wire Raceway-PXX0885



L45xW40xH55mm Size L40xW30mm	Black Color Black	
L40xW30mm	Black	
Size	Color	
L38xW11xH25mm	Black	
Size	Color	
L32xW7xH16mm	Black	
Size	Color	
Ф140xH52mm	Black	
	L38xW11xH25mm Size L32xW7xH16mm Size	L38xW11xH25mm Black   Size Color   L32xW7xH16mm Black   Size Color

Size	Color
Ф180xH52mm	Black

## **Product Information**

#### Spotlight Module-PXX0890



Power	Size	ССТ	Beam	Voltage
7W	Ф40xL100mm	3000K/3500K/4000K	15°/24°/36°	DC48V
12W	Φ52xL120mm	3000K/3500K/4000K	15°/24°/36°	DC48V
Dimensions(mm)				
	120 052			

ССТ

ССТ

3000K/3500K/4000K

Beam 15° /24

°/36°

Beam

120°

120°

Voltage


DC48V

Voltage


DC48V

DC48V

#### Light Ball-PXX0894



#### Conical Light-PXX0895



#### Semi-Circular Flood Light-PXX0892

Semi-Circular Spotlight-PXX0891

Power

Dimensions(mm)

10W

Size

120


Ф100xL120mm



Power	Size	CCT	Beam	Voltage
10W	Ф100xL120mm	3000K/3500K/4000K	120°	DC48V
Dimensions(mm	) [120			70°

3000K/3500K/4000K

# Grid Module-PXX0896



#### Semi-Circular Flood Light-PXX0893

Power


10W

20W	Ф300xH215mm	3000K/3500K/4000K
Dimensions(mm)		
ф200 [140	ф300	215

Size

Ф200xH140mm

#### Flood Light Module-PXX0897





ССТ	Beam	Voltage
3000K/3500K/4000K	360°	DC48V
3000K/3500K/4000K	360°	DC48V

ССТ	Beam	Voltage
3000K/3500K/4000K	120°	DC48V

	ССТ	Beam	Voltage
n	3000K/3500K/4000K	15° /30° /45°	DC48V
n	3000K/3500K/4000K	15° /30° /45°	DC48V
nm	3000K/3500K/4000K	15° /30° /45°	DC48V

	ССТ	Beam	Voltage
n	3000K/3500K/4000K	120°	DC48V
n	3000K/3500K/4000K	120°	DC48V
nm	3000K/3500K/4000K	120°	DC48V